ROHM AND HAAS EM CMP RECEIVED PAGE CENTRAL FAX CENTER

MAY 0 8 2007

PTO/SB/21 (09-06)
Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Pap	per Heduction Act of 1995, no p	ensons	are required to respond to a collection	on of inton	metion unless it displays a valid OMB control number.						
			Application Number	10/634	10/634,964						
TRANSMITTAL FORM			Filing Date	Aug 5,	, 2003						
			First Named Inventor	Liu, Zhendong							
			Arl Unit	1765							
(to be used for all correspondence after initial filing)			Examiner Name	Patricla A. George							
Total Number of Pages in This Submission 13			Attorney Docket Number	02039US							
ENCLOSURES (Check all that apply)											
X Fee Trans	smittal Form		Drawing(s)		After Allowance communication to (TC						
Fee Attached			Licensing-related Papers		Appeal Communication to Board of						
Amendment / Reply			Petition		Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)						
After Final			Petition to Convert to a		Proprietary Information						
Affidavits/declaration(s)			Provisional Application Power of Attorney, Revocation Change of Correspondence Ad	drace	Status Letter						
Extension of Time Request		$\overline{\sqcap}$	Terminal Disdaimer	01655	Other Enclosure(s) (please identify below):						
Express Abandonment Request		\Box	Request for Refund		— below):						
Information Disclosure Statement		\Box	CD, Number of CD(s)								
			Landscape Table on CD								
Certified Copy of Priority Document(s)		I Rem	, , , , , , , , , , , , , , , , , , ,	_							
Reply to Missing Paris/		Hem	airs								
Reply to Missing Parts under											
37 CI	FR 1.52 or 1.53										
	SIGNA	TURE	OF APPLICANT, ATTORN	EY, OR	RAGENT						
Firm Name	777		erials CMP Holdings, Inc.								
Signature	78h 18/4		·								
Printed name	Blake T. Blederman										
Date	May 8, 2007		Re	eg. No. 34,124							
CERTIFICATE OF TRANSMISSION/MAILING											
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.											
Signature Baban Q. Willey											
Typed or printed na	1 '				Date May 8, 2007						

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

In you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

MAY 0 8 2007

PTC/SB/17 (07-06) Approved for use through 01/31/2007. OMB 0651-0032 Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the	Paperwork Reduction	n Act of 1995	5, no persons ère requir	ed to respond	to a collection of infor		lays a valid OMB control number				
<u> </u>	Effective on 1	12/08/2004		-	Complete if Known						
			18 Act, 2005 (H.A. 4816		dication Number	10/634,964					
FEE	TRAN	ISM	IITTAL		g Date	8/5/2003	·				
l					Named Inventor	Liu					
	For FY			Exer	miner Name	Patricia A. Geo	orge				
ļ	ims small entity s	-,		Art (Jnlt	1765					
TOTAL AMOUNT OF	PAYMENT	(\$) 500),00	Attor	ney Docket No.	02039US					
METHOD OF PAY	/MENT (check al	I that appl	y)								
Check	Credit Card	Mone	ey Order None	。 🔲 o	ther (please identify	y):					
Holdings, Inc											
For the above X Char	For the above-identified deposit account, the Director is hereby authorized to: (check all that apply) X Charge fee(s) indicated below Charges fee(s) indicated below, except for the filling fee										
X Char	rge any additional fe er 37 CFR 1.16 and	èe(s) or unc	derpayments of fee(s)	X	-						
WARNING: Information Buthorization on PTO-20	n on this form may be	: 7.17 acome publi	lc. Credit card informatio	on should not	be included on this t	orm. Provide credit	card information and				
FEE CALCULATION	Wa.	-									
1. BASIC FILING,		EYAMIN/	ATION EGES								
	FILING		SEARCH	FEES	EXAMINAT	ON FEES					
· · · · · · · · · · · · · · · · · · ·	\$	Small Entit	by <u>Sm</u>	all Entity		all Entity					
Application Type		Fee (\$)		<u>∞ (\$)</u>	Fee (\$)	Fee (\$)	Fees Paid (\$)				
Utility	. 300	150	500	250	200	100					
Design	200	100	100	50	130	65					
Plant	200	100	300	150	160	80					
Reissue	300	150	500	250	600	300					
Provisional	200	100	0	0	0	0	\$ 0.00				
2 EXCESS CLAIM	FEES	•		*	-	v	Small Entity				
Fee Description							Fee (\$) Fee (\$)				
Each claim over 20	(including Reiss	iues)					50 25				
Each independent c	laim over 3 (incl-	uding Rei	issues)				200 100				
Multiple dependent			•				360 180				
Total Claims	Extra Claims	<u>s</u>		e Paid (\$)	7	Multiple Dependen					
- 20 or I		X	\$50.00	\$ 0.00		Fee (\$)	Fee Paid (\$)				
HP = highest number of tol			1			\$360.00	•				
Indep. Claims	Extra Claims	-		e Pald (\$)							
• 3 or H FIP = highest number of inc		X :	\$200.00 =	\$ 0.00							
		i for, if greeker	r than 3.								
3. APPLICATION SIZE FEE If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CER 1.57(s)) the application size for the in 6050 (6126 for the computer listings).											
Time special canon	n and drawings e	xceed In	O sheets of paper (e:	xcluding el	ectronically filed	sequence or com	puter listings under 37				
CIN 1,32(C)), (ութ գիխուբանում չե	IZC ICE QUE	こりま ゆていん (ゆりてつ iot 8	small entity	 for each addition 	mal 50 sheets or t	fraction thereof. See 35				
	l)(G) and 37 CFT	• • •			•						
Total Sheets	Extra She				or fraction thereo	f <u>Fee (\$)</u>	Fee Pald (\$)				
	100 = <u>0</u>	/50	0=((round up to	a whole number)	× \$250.00	\$ 0.00				
4. OTHER FEE(S)											
Non-English Specification, \$130 fee (no small entity discount)											
Other: (e.g., late filing surcharge): Appeal Brief \$500.00											
SUBMITTED BY											
Signature	98129	Ro	Registr	ration No.	34,124	Telepho	ne 302-283-2136				
Name (Print/Type)	Blake T. Biederm	IAD	(Altone	y/Agent)		Data 6					

This collection of Information is required by 37 CFR 1.13s. The Information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including galhering, preparing, and submitting the completed application form to the USPTO. Time will very depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Comcer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Liu

Application No.:

10/634,964

Filed: 1/23/2003

Title: COMPOSITION FOR REDUCING EROSION

IN SEMICONDUCTOR WAFERS

Attorney Docket No.: 02039US

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

- .

Art Unit:

Examiner:

1765

Patricia Ann George

APPEAL BRIEF

Applicant respectfully appeals the rejection dated February 5, 2007 and advisory action dated March 26, 2007.

(1) REAL PARTY IN INTEREST

The real party in interest in this appeal is Rohm and Haas Electronic Materials CMP Holdings, Inc.

(2) RELATED APPEALS AND INTERFERENCES

There is no related appeal or interference.

(3) STATUS OF CLAIMS

Claims 1, 2 and 4 to 6 – Rejected and Appealed.

Claims 3 and 7 - Cancelled.

Claims 8 to 10 - Withdrawn.

05/09/2007 TL0111

00000046 500618 10

10634964

01 FC:1402

500.00 DA

(4) STATUS OF AMENDMENTS

Claim 5 amendment after final rejection denied.

RECEIVED CENTRAL FAX CENTER MAY 0 8 2007

(5) SUMMARY OF THE CLAIMED SUBJECT MATTER

Claim 1

Claim 1 covers an aqueous chemical mechanical planarizing composition (Para. 12, lines 1 and 2). The composition comprises an oxidizer for promoting barrier removal (Para 26, lines 1 and 2); an abrasive (Para 21, lines 1 and 2); an inhibitor for decreasing removal of a metal interconnect (Para 27, lines 8 to 10); and water soluble polymaleic acid (Para. 19, lines 1 and 2). The chemical mechanical planarizing composition has a pH of less than 4 (Para. 30, line 1) adjusted with an inorganic pH adjusting agent, the inorganic pH adjusting agent being an acid (Para. 29, lines 1 and 2). And the composition has a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa (Para. 34, lines 1 to 4).

Claim 5

Claim 5 covers an aqueous chemical mechanical planarizing composition (Para. 12, lines 1 and 2). The composition comprises 0.05 to 15 wt% abrasive (Para. 22, line 1); 0.1 to 10 wt% oxidizing agent (Para. 26, lines 9 and 10); 0.0025 to 2 wt% of benzotriazole (Para. 28, lines 3 and 6 to 8); and 0.01 to 5 wt% of water soluble polymaleic acid (Para. 17, lines 1 and 2 and Para. 19, lines 1 and 2. The pH of the composition is less than 4 (Para. 30, line 1) adjusted with an inorganic pH adjusting agent (Para. 29, lines 1 and 2), the inorganic pH adjusting agent including an acid selected from nitric acid, sulfuric acid, hydrochloric acid and phosphoric acid (Para. 29, lines 2 to 4). And the composition has a tantalum nitride removal rate of at least ninety[eighty] percent of copper removal rate at a pad pressure of 13.8 kPa (Para. 34, lines 1 to 4).

(6) GROUNDS OF REJECTIONS TO BE REVIEWED ON APPEAL

1. Claims 1, 2 and 4 to 6 stand rejected under 35 U.S.C. §103 (a) over Sun et al. (US Pat. No. 6,709,316) in view of Sherber et al. (US Pat. No. 5,858,813) as evidenced by Changzhou Keji Chemical Co. (Product Detail Poly (Maleic Acid)) and Wikipedia, Maleic Acid.

(7) ARGUMENT

I. Rejection of claims 1, 2 and 4 to 6 over Sun et al. in view of Sherber et al. as evidenced by Changzhou Keji Chemical Co. (Product Detail Poly (Maleic Acid.)) and Wikipedia, Maleic Acid.

The combined references fail to establish a prima facie case of obviousness. In re

Oetiker, 977 F. 2d 1443, 1445, 24 USPQ2d 1443, 1444 (Fed. Cir. 1992). Applicant has
discovered that polymaleic acid in combination with inorganic acid, low pH, an inhibitor and
abrasive particles improves dielectric erosion when polishing barrier layers of patterned wafers.
The rejection relies upon selecting properties from three distinct slurries within a single
reference. In particular, Sun et al. disclose three distinct slurries for different polishing
applications as follows:

- 1) Bulk copper slurry—Col. 7, lines 9 to 12 (abrasive), Col. 6, lines 57 to 59 (oxidizer), Col. 6, lines 59 to 65 (benzotriazole inhibitor), Col. 6, line 66, Col. 7, lines 1 to 3 and Col. 7, lines 3 to 4 of Sun et al. (inorganic and/or organic acids—phosporic acid).
- 2) First copper CMP slutry-Col. 7, line 59 of Sun et al. (phosphoric/nitric acid).
- 3) Barrier slurry selectivity for tantalum—Col. 3, lines 32 to 34 of Sun et al. (barrier selectivity).

A critical step in analyzing the patentability of claims pursuant to section 103(a) is casting the mind back to the time of invention, to consider the thinking of one of ordinary skill in the art, guided only by the prior art references and the then-accepted wisdom in the field, In re Kotzab, 217 F.3d 1365, 1370, 55 USPQ2d 1313, 1316 (Fed. Cir. 2000). As noted in the attached 132 Declaration of Dr. Liu, a skilled slurry design scientist would not expect or attempt to use a first-step copper slurry for second-step polishing that requires high removal rates of barrier materials, such as tantalum nitride. Thus, the selective combining of several distinct slurries with non-analogous polymer art fails to establish a prima facia case of obviousness.

It is well established that a compound and its properties are inseparable. <u>In re Papesch</u>, 315 F.2d 381, 137 USPQ2d 43 (CCPA 1963). Part of evaluating the invention as a whole includes considering functional language. <u>In re Caldwell</u>, 319 F.2d 254, 138 USPQ 243 (CCPA

1963) recognizes the propriety of defining an invention by what it does. In summary, the combined references fail to recognize using polymaleic acid in combination with inorganic acid, low pH, an inhibitor and abrasive particles to provide an effective barrier removal slurry that achieves a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa.

In addition, the combined references teach away from the claimed invention. It is well accepted that proceeding contrary to conventional wisdom represents strong evidence of unobviousness. In re Hedges, 783 F.2d 1038, 228 USPQ 685, 687 (Fed. Cir. 1986). Specifically, the Sun et al. and Scherber et al. patents teach away from the claimed invention as follows:

- The rejection refers to bulk copper slurry—Col. 7, lines 9 to 12 (abrasive), Col. 6, lines 57 to 59 (oxidizer), Col. 6, lines 59 to 65 (benzotriazole inhibitor), Col. 6, line 66, Col. 7, lines 1 to 3 and Col. 7, lines 3 to 4 of Sun et al. (inorganic and/or organic acids—phosporic acid). Since bulk copper slurrics tend to remove copper as fast as possible with minimal barrier removal it teaches away from the claimed barrier removal slurry that achieves a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa. Furthermore, "a skilled slurry design scientist would not expect or attempt to use a first-step copper slurry for second-step polishing that requires high removal rates of of barrier materials, such as tantalum nitride—paragraph 6 of the 132 Declaration of Dr. Liu.
- 2) Sun et al. teach a preffered pH range of 8 to 12 for its selective barrier removal step—see Col. 9, lines 54 to 65. This teaches away from the claimed pH range of less than 4.
- 3) The Examples of Scherber et al. teach a slurry that selectively removes aluminum (interconnect) in view of a titanium (barrier). These Examples are the opposite and teach away of the claimed barrier removal slurry that achieves a tantalum nitride (barrier) removal rate of at least eighty percent of copper (interconnect) removal rate at a pad pressure of 13.8 kPa.

The action combines the copper bulk copper and copper barrier slurries with the genus "maleic acid derivatives" from the Markush group at Col. 5, lines 43 to 58 of the Scherber et al. aluminum slurry. "The fact that a claimed species or subspecies is encompassed by a prior art genus is not sufficient by itself to establish a prima facie case of obviousness." In re Baird, 16 F.3d 380, 382, 29 USPQ2d 1550, 1552. Furthermore, the fact that a claimed compound may be

3022832144

07/13

MAY 0 8 2007

encompassed by a generic formula does not by itself render that compound obvious. <u>Iu re Jones</u>, 958 F.2d 347, 350, 21 USPQ2d 1941, 1943 (Fed Cir. 1992)." Scherber et al. disclose maleic acid derivatives, but they do not disclose or suggest the use of a polymaleic acid polymer.

In addition, the action applies an inappropriate "obvious to try" standard that represents an insufficient basis to form a prima facie case of obviousness. In moving from the prior art to the claimed invention, one cannot base a determination of obviousness on what the skilled person might try or find obvious to try. Both the suggestion and the expectation of success must be found in the prior art. In re Dow Chemical Co., 837 F.2d 469, 473, 5 USPQ2d 1529, 1531 (Fed. Cir. 1987). Sun et al. disclose slurries designed for bulk copper, first copper and a selective barrier slurry and Scherber et al. disclose an aluminum polishing slurry—see Examples. In agreement with the 132 Declaration of Dr. Liu, it would not be obvious for a skilled scientist in the area of slurry development to selectively pick and choose features from four distinct slurries to form a barrier slurry. Furthermore, Sun et al. in combination with Scherber et al. do not suggest attempting polishing tantalum barriers with polymaleic acid in combination with inorganic acid, low pH, an inhibitor and abrasive particles to provide an effective barrier removal slurry that achieves reduced dielectric erosion in combination with the claimed tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa.

Respectfully submitted,

Attorney for Applicants Registration No. 34,124

Telephone No.: (302) 283-2136

Rohm and Haas Electronic Materials CMP Holdings, Inc. 451 Bellevue Road Newark, DE 19713

MAY 0 8 2007

CLAIMS APPENDIX

- 1. An aqueous chemical mechanical planarizing composition comprising:
 - an oxidizer for promoting barrier removal;

3022832144

- an abrasive;
- an inhibitor for decreasing removal of a metal interconnect; and
- water soluble polymaleic acid and wherein the chemical mechanical planarizing composition has a pH of less than 4 adjusted with an inorganic pH adjusting agent, the inorganic pH adjusting agent being an acid; and a tantalum nitride removal rate of at least eighty percent of copper removal rate at a pad pressure of 13.8 kPa.
- 2. The composition of Claim 1, wherein the polymaleic acid comprises a homopolymer or a copolymer.
- 3. Cancelled.
- 4. The composition of Claim 1, having a pH of 1.5 to less than 4.
- 5. An aqueous chemical mechanical planarizing composition comprising:
 - 0.05 to 15 wt% abrasive;
 - 0.1 to 10 wt% oxidizing agent;
 - 0.0025 to 2 wt% of benzotriazole; and
- 0.01 to 5 wt% of water soluble polymaleic acid, and wherein the pH of the chemical mechanical planarizing composition is less than 4 adjusted with an inorganic pH adjusting agent, the inorganic pH adjusting agent including an acid selected from nitric acid, sulfuric acid, hydrochloric acid and phosphoric acid; and a tantalum nitride removal rate of at least ninety-eighty percent of copper removal rate at a pad pressure of 13.8 kPa.
- 6. The composition of Claim 5, wherein the polymaleic acid comprises a homopolymer or a copolymer.

EVIDENCE APPENDIX

Attached please find a copy of the 1.132 Declaration of Dr. Zhendong Liu.

Art Unit: 1765

Examiner:

Patricia Ann George

RECEIVED
CENTRAL FAX CENTER

MAY 0 8 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Liu et al.

Application No.: 10/634,964

Filed: 2/27/2003

Title: CHEMICAL MECHANICAL

PLANARIZATION COMPOSITIONS FOR

REDUCING EROSION IN SEMICONDUCTOR WAFERS

Attorney Docket No.: 02039US

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

DECLARATION UNDER 37 C.F.R. § 1.132

That I Zhendong Liu declare the following:

- 1) That I am a current employee of Rohm and Haas Electronic Materials CMP Inc. (fka Rodel, Inc.); and that I have been employed at Rohm and Haas Electronic Materials for over four years in the role of a research chemist.
 - That my professional qualifications include the following:

Ph.D. University of California, Berkeley, 2001

Major: Hydrometallurgy

Minors: Chemistry and Environmental Engineering

Block Grant Fellowship, 1997-1998 Jane Lewis Fellowship, 1998-2001

- M.S. Beijing Graduate School, China University of Mining and Technology, 1997 Major: Mineral Processing Engineering
- B.S. Huainan Mining Institute, 1994
 Major: Mineral Processing Engineering

- 3) That I co-authored the following articles related to Chemical Mechanical Polishing:
- Z. Liu et al., "Electrochemical Testing of Tantalum and Copper in Chemical Mechanical Polishing Slurries", ECS Fall Meeting, Los Angles, October 2005.
- Z. Liu et al., "Copper Removal Rate Control in Chemical Mechanical Polishing of Barrier Materials, CMP-MIC, February 2005.
- Z. Liu et al., "Copper CMP Barrier Slurries for Ultra-low k Applications", CMP-MIC, February 2004.
- Z. Liu et al., "Development of Novel Barrier Shurries for Ultra-low k Applications", CAMP Annual Meeting, August 2003.
- 4) That I have reviewed US Pat. Appln. No. 10/634,964 ('964), filed August 5, 2003; the USPTO action mailed November 18, 2005; and Sun et al. (US Pat. No. 6,709, 316) and Yano et al. (US Pat. No. 6,375,545).
- 5) That Sun et al. at Col. 6, line 33 to Col. 8, line 39 disclose a first-step copper slurry designed for removing copper from semiconductor substrates. First-step copper slurries typically remove copper at a rate of 2,000 to 10,000 Å/min. Furthermore, these slurries ideally have a zero removal rate for barrier materials, such as tantalum and tantalum nitride.
- 6) That a skilled slurry design scientist would not expect or attempt to use a firststep copper slurry for second-step polishing that requires high removal rates of barrier materials, such as tantalum nitride.
- 7) That Sun et al. at Col. 8, line 40 to Col. 9, line 65 disclose a barrier removal slurry that operates at a pH of about 4 to 12 and preferably at a pH of about 8 to 12.
- 8) That Yano et al. disclose at Col. 9, lines 20 to 29 the use of polymeric particles and at Col. 3, lines 8 to 29, the use of surfactant-coated polymeric particles. Yano et al. do not disclose the addition of water soluble carboxylic acid polymers to a slurry having a pH less than 4 with the pH adjusted with an inorganic acid and the slurry being useful for tantalum nitride removal.

9) That as illustrated by Examples 1 to 4 and Figures 1 to 3 of the pending application, Applicants have discovered that the addition of water soluble carboxylic acid polymers to a barrier slurry having a pH less than 4 with the pH adjusted with an inorganic acid can improve dielectric erosion when polishing patterned wafers.

ROHM AND HAAS EM CMP

- That in my opinion, the combined Sun et al. and Yano et al. references do not 10) disclose or suggest the addition of water soluble carboxylic acid polymers to a barrier slurry having a pH less than 4 with the pH adjusted with an inorganic acid.
- That I hereby declare that all statements made herein of my own knowledge are 11) true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Dr. Zhendong Liu February 10, 2006

RELATED PROCEEDINGS APPENDIX

None.